The Journal of Cell Biology

Volume 140, 1998

Published biweekly by
The Rockefeller University Press
Managing Editor
Michael T. Rossner
Editorial Assistants
Sati Motieram, Adaobi Obi,
and Leslie Thomas
Copyediting and Production
Justin Collins, Carrie Clark,
Laura N. Buchholz, Davide R. Dickson,
and C. Kelly White

Editor-in-Chief

Norton B. Gilula

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
Ira Mellman
W. James Nelson
Louis F. Reichardt
Randy Schekman
Kenneth M. Yamada

Editorial Board

Kathryn Anderson
Richard G.W. Anderson
Vann Bennett
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
John Cooper
Pietro DeCamilli
Elisabetta Dejana
David J. DeRosier
David Drubin
William Earnshaw
Scott Emr
Larry Gerace
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Nobutaka Hirokawa
H. Robert Horvitz
Alan Rick Horwitz
Tony Hunter
Keith Joiner
Eric Karsenti
Hynda Kleinman
Stanley J. Korsmeyer
Arthur D. Lander
Jeanne Lawrence
Leslie Leinwand
Susan Lindquist
Joan Massague
Jacopo Meldolesi
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
Bjorn Olsen
Leslie Parise
Mu-ming Poo
Martin Raff
Natasha V. Raikhel
Tom A. Rapoport
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Sandra Schmid
Trina Schroer
Jean Schwarzbauer
Masatoshi Takeichi
Shoichiro Tsukita
Graham Warren
Marino Zerial

Copyright © 1998 by The Rockefeller University Press

Contents:

Volume 140, Number 1, January 12, 1998

1 **Retrograde transport of Golgi-localized proteins to the ER.**
N.B. Cole, J. Ellenberg, J. Song, D. DiEuliis, and J. Lippincott-Schwartz

17 **Surrogate antigen processing mediated by TAP-dependent antigenic peptide secretion.**
R. Gabathuler, J. Alimonti, Q.-J. Zhang, G. Kolaitis, G. Reid, and W.A. Jefferies

29 **Prospore membrane formation defines a developmentally regulated branch of the secretory pathway in yeast.**
A.M. Neiman

39 **Sphingomyelinase treatment induces ATP-independent endocytosis.**
X. Zha, L.M. Pierini, P.L. Leopold, P.J. Skiba, I. Tabas, and F.R. Maxfield

49 **Pex17p of *Saccharomyces cerevisiae* is a novel peroxin and component of the peroxisomal protein translocation machinery.**
B. Huhse, P. Rehling, M. Albertini, L. Blank, K. Meller, and W.-H. Kunau

61 **A v–t-SNARE complex, the predominant form in vivo and on isolated vacuoles, is disassembled and activated for docking and fusion.**
C. Ungermann, B.J. Nichols, H.R.B. Pelham, and W. Wickner

71 **Detection of dimers of dimers of human leukocyte antigen (HLA)–DR on the surface of living cells by single-particle fluorescence imaging.**
R.J. Cherry, K.M. Wilson, K. Triantafilou, P. O'Toole, I.E.G. Morrison, P.R. Smith, and N. Fernández

81 **Relocalization of phospholipase D activity mediates membrane formation during meiosis.**
S.A. Rudge, A.J. Morris, and J. Engebrecht

91 **A single point mutation controls the cholesterol dependence of Semliki Forest virus entry and exit.**
M., Vashishtha, T. Phalen, M.T. Marquardt, J.S. Ryu, A.C. Ng, and M. Kielian

101 **Low density membranes are associated with RNA-binding proteins and thylakoids in the chloroplast of *Chlamydomonas reinhardtii.***
W. Zerges and J.-D. Rochaix

111 **Cell cycle–regulated expression of the muscle determination factor Myf5 in proliferating myoblasts.**
C. Lindon, D. Montarras, and C. Pinset

119 **Specific localization of serine 19–phosphorylated myosin II during cell locomotion and mitosis of cultured cells.**
F. Matsumura, S. Ono, Y. Yamakita, G. Totsukawa, and S. Yamashiro

131 **Regulation of microtubule dynamics by extracellular signals: cAMP-dependent protein kinase switches off the activity of oncoprotein 18 in intact cells.**
H.M. Gradin, N. Larsson, U. Marklund, and M. Gullberg

143 **Ripped pocket and pickpocket, novel *Drosophila* DEG/ENaC subunits expressed in early development and in mechanosensory neurons.**
C.M. Adams, M.G. Anderson, D.G. Motto, M.P. Price, W.A. Johnson, and M.J. Welsh

153 **A role for caspases in lens fiber differentiation.**
Y. Ishizaki, M.D. Jacobson, and M.C. Raff

159 **Epimorphin functions as a key morphoregulator for mammary epithelial cells.**
Y. Hirai, A. Lochter, S. Galosy, S. Koshida, S. Niwa, and M.J. Bissell

171 **Ultraviolet light induces apoptosis via direct activation of CD95 (Fas/APO-1) independently of its ligand CD95L.**
Y. Aragane, D. Kulms, D. Metze, G. Wilkes, B. Pöppelmann, T.A. Luger, and T. Schwarz

183 **Signaling and adhesion activities of mammalian β-catenin and plakoglobin in *Drosophila.***
P. White, H. Aberle, and J.-P. Vincent

197 **Direct and regulated interaction of integrin $\alpha_E\beta_7$ with E-cadherin.**
J.M.G. Higgins, D.A. Mandlebrot, S.K. Shaw, G.J. Russell, E.A. Murphy, Y.-T. Chen, W.J. Nelson, C.M. Parker, and M.B. Brenner

211 **Identification of $p130^{Cas}$ as a mediator of focal adhesion kinase–promoted cell migration.**
L.A. Cary, D.C. Han, T.R. Polte, S.K. Hanks, and J.-L. Guan

223 **Induction of growth cone formation by transient and localized increases of intracellular proteolytic activity.**
N.E. Ziv and M.E. Spira

233 **Receptor-independent role of urokinase-type plasminogen activator in pericellular plasmin and matrix metalloproteinase proteolysis during vascular wound healing in mice.**
P. Carmeliet, L. Moons, M. Dewerchin, S. Rosenberg, J.-M. Herbert, F. Lupu, and D. Collen

247 **A novel fission yeast gene, *tht1*$^+$, is required for the fusion of nuclear envelopes during karyogamy.**
Y. Tange, T. Horio, M. Shimanuki, D.-Q. Ding, Y. Hiraoka, and O. Niwa

259 **Molecular characterization of the SUMO-1 modification of RanGAP1 and its role in nuclear envelope association.**
R. Mahajan, L. Gerace, and F. Melchior

271 **Identification of a preinitiation step in DNA replication that is independent of origin recognition complex and cdc6, but dependent on cdk2.**
X.H. Hua and J. Newport

283 **A presumptive developmental role for a sea urchin cyclin B splice variant.**
J.-C. Lozano, P. Schatt, F. Marquès, G. Peaucellier, P. Fort, J.-P. Féral, A.-M. Genevière, and A. Picard

295 **Identification of tropoelastin as a ligand for the 65-kD FK506-binding protein, FKBP65, in the secretory pathway.**
E.C. Davis, T.J. Broekelmann, Y. Ozawa, and R.P. Mecham

305 **Expression of Rab3D N135I inhibits regulated secretion of ACTH in AtT-20 cells.**
G. Baldini, G. Baldini, G. Wang, M. Weber, M. Zweyer, R. Bareggi, J.W. Witkin, and A.M. Martelli

315 **Dilation of the human immunodeficiency virus–1 envelope glycoprotein fusion pore revealed by the inhibitory action of a synthetic peptide from gp41.**
I. Muñoz-Barroso, S. Durell, K. Sakaguchi, E. Appella, and R. Blumenthal

325 **Capacitative Ca^{2+} entry is closely linked to the filling state of internal Ca^{2+} stores: A study using simultaneous measurements of I_{CRAC} and intraluminal [Ca^{2+}].**
A.M. Hofer, C. Fasolato, and T. Pozzan

335 **Differential stimulation of the Na^+/H^+ exchanger determines chloroquine uptake in *Plasmodium falciparum*.**
S. Wünsch, C.P. Sanchez, M. Gekle, L. Große-Wortmann, J. Wiesner, and M. Lanzer

347 **β-Filagenin, a newly identified protein coassembling with myosin and paramyosin in *Caenorhabditis elegans*.**
F. Liu, C.C. Bauer, I. Ortiz, R.G. Cook, M.F. Schmid, and H.F. Epstein

355 **Sequential assembly of myosin II, an IQGAP-like protein, and filamentous actin to a ring structure involved in budding yeast cytokinesis.**
J. Lippincott and R. Li

367 **Hydrostatic pressure shows that lamellipodial motility in *Ascaris* sperm requires membrane-associated major sperm protein filament nucleation and elongation.**
T.M. Roberts, E.D. Salmon, and M. Stewart

377 **Kar9p is a novel cortical protein required for cytoplasmic microtubule orientation in yeast.**
R.K. Miller and M.D. Rose

391 **Cytoplasmic dynein and dynactin are required for the transport of microtubules into the axon.**
F.J. Ahmad, C.J. Echeverri, R.B. Vallee, and P.W. Baas

403 **In vitro degradation of endothelial catenins by a neutrophil protease.**
T. Moll, E. Dejana, and D. Vestweber

409 **Bone morphogenetic protein signaling is required for maintenance of differentiated phenotype, control of proliferation, and hypertrophy in chondrocytes.**
M. Enomoto-Iwamoto, M. Iwamoto, Y. Mukudai, Y. Kawakami, T. Nohno, Y. Higuchi, S. Takemoto, H. Ohuchi, S. Noji, and K. Kurisu

419 **Mice that lack thrombospondin 2 display connective tissue abnormalities that are associated with disordered collagen fibrillogenesis, an increased vascular density, and a bleeding diathesis.**
T.R. Kyriakides, Y.-H. Zhu, L.T. Smith, S.D. Bain, Z. Yang, M.T. Lin, K.G. Danielson, R.V. Iozzo, M. LaMarca, C.E. McKinney, E.I. Ginns, and P. Bornstein

431 **Glycosylation provides both stimulatory and inhibitory effects on cell surface and soluble CD44 binding to hyaluronan.**
T.P. Skelton, C. Zeng, A. Nocks, and I. Stamenkovic

447 ADDITIONS AND CORRECTIONS

449 ADDITIONS AND CORRECTIONS

451 **Chromosome association of minichromosome maintenance proteins in *Drosophila* endoreplication cycles.**
T.T. Su and P.H. O'Farrell

461 **Pheromone-regulated genes required for yeast mating differentiation.**
S. Erdman, L. Lin, M. Malczynski, and M. Snyder

485 **Green fluorescent protein (GFP)-tagged cysteine-rich domains from protein kinase C as fluorescent indicators for diacylglycerol signaling in living cells.**
E. Oancea, M.N. Teruel, A.F.G. Quest, and T. Meyer

499 **SUMO-1 modification and its role in targeting the Ran GTPase-activating protein, RanGAP1, to the nuclear pore complex.**
M.J. Matunis, J. Wu, and G. Blobel

511 **Cell-free transport to distinct Golgi cisternae is compartment specific and ARF independent.**
S. Happe and P. Weidman

525 **A pore-forming toxin interacts with a GPI-anchored protein and causes vacuolation of the endoplasmic reticulum.**
L. Abrami, M. Fivaz, P.-E. Glauser, R.G. Parton, and F.G. van der Goot

541 **Isolation of functional Golgi-derived vesicles with a possible role in retrograde transport.**
H.D. Love, C.-C. Lin, C.S. Short, and J. Ostermann

553 **Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus.**
A. Llorente, A. Rapak, S.L. Schmid, B. van Deurs, and K. Sandvig

565 **GLUT4 and transferrin receptor are differentially sorted along the endocytic pathway in CHO cells.**
M.L. Wei, F. Bonzelius, R.M. Scully, R.B. Kelly, and G.A. Herman

577 **Retrieval of resident late-Golgi membrane proteins from the prevacuolar compartment of *Saccharomyces cerevisiae* is dependent on the function of Grd19p.**
W. Voos and T.H. Stevens

591 **Fusion of lysosomes with late endosomes produces a hybrid organelle of intermediate density and is NSF dependent.**
B.M. Mullock, N.A. Bright, C.W. Fearon, S.R. Gray, and J.P. Luzio

603 **ARF6 targets recycling vesicles to the plasma membrane: Insights from an ultrastructural investigation.**
C. D'Souza-Schorey, E. van Donselaar, V.W. Hsu, C. Yang, P.D. Stahl, and P.J. Peters

617 **Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells.**
C. Lipardi, R. Mora, V. Colomer, S. Paladino, L. Nitsch, E. Rodriguez-Boulan, and C. Zurzolo

627 **Apoptotic membrane blebbing is regulated by myosin light chain phosphorylation.**
J.C. Mills, N.L. Stone, J. Erhardt, and R.N. Pittman

637 **E4orf4, a novel adenovirus death factor that induces p53-independent apoptosis by a pathway that is not inhibited by zVAD-fmk.**
J.N. Lavoie, M. Nguyen, R.C. Marcellus, P.E. Branton, and G.C. Shore

647 **Rho-kinase phosphorylates COOH-terminal threonines of ezrin/radixin/moesin (ERM) proteins and regulates their head-to-tail association.**
T. Matsui, M. Maeda, Y. Doi, S. Yonemura, M. Amano, K. Kaibuchi, Sa. Tsukita, and Sh. Tsukita

659 **Visualization of the dynamics of synaptic vesicle and plasma membrane proteins in living axons.**
T. Nakata, S. Terada, and N. Hirokawa

675 **β-Spectrin is colocalized with both voltage-gated sodium channels and ankyrin$_G$ at the adult rat neuromuscular junction.**
S.J. Wood and C.R. Slater

685 **Thy-1 is a component common to multiple populations of synaptic vesicles.**
C.-J. Jeng, S.A. McCarroll, T.F.J. Martin, E. Floor, J. Adams, D. Krantz, S. Butz, R. Edwards, and E.S. Schweitzer

699 **LFA-1–mediated adhesion is regulated by cytoskeletal restraint and by a Ca^{2+}-dependent protease, calpain.**
M.P. Stewart, A. McDowall, and N. Hogg

709 **A three-dimensional collagen lattice activates NF-κB in human fibroblasts: Role in integrin α_2 gene expression and tissue remodeling.**
J. Xu, M.M. Zutter, S.A. Santoro, and R.A.F. Clark

721 **L-selectin ligands that are *O*-glycoprotease resistant and distinct from MECA-79 antigen are sufficient for tethering and rolling of lymphocytes on human high endothelial venules.**
R.A. Clark, R.C. Fuhlbrigge, and T.A. Springer

Volume 140, Number 4, February 23, 1998

Mini-Review

733 **Toxin entry: Retrograde transport through the secretory pathway.**
J.M. Lord and L.M. Roberts

Regular Articles

737 **SRPK2: A differentially expressed SR protein-specific kinase involved in mediating the interaction and localization of pre-mRNA splicing factors in mammalian cells.**
H.-Y. Wang, W. Lin, J.A. Dyck, J.M. Yeakley, Z. Songyang, L.C. Cantley, and X.-D. Fu

751 **gp25L/emp24/p24 protein family members of the *cis*-Golgi network bind both COP I and II coatomer.**
M. Dominguez, K. Dejgaard, J. Füllekrug, S. Dahan, A. Fazel, J.-P. Paccaud, D.Y. Thomas, J.J.M. Bergeron, and T. Nilsson

767 **Oligomeric structure of type I and type II transforming growth factor β receptors: Homodimers form in the ER and persist at the plasma membrane.**
L. Gilboa, R.G. Wells, H.F. Lodish, and Y.I. Henis

779 **A novel dynamin-like protein associates with cytoplasmic vesicles and tubules of the endoplasmic reticulum in mammalian cells.**
Y. Yoon, K.R. Pitts, S. Dahan, and M.A. McNiven

795 **Caveolin-1 and -2 in the exocytic pathway of MDCK cells.**
P. Scheiffele, P. Verkade, A.M. Fra, H. Virta, K. Simons, and E. Ikonen

807 **A mobile PTS2 receptor for peroxisomal protein import in *Pichia pastoris*.**
Y. Elgersma, M. Elgersma-Hooisma, T. Wenzel, J.M. McCaffery, M.G. Farquhar, and S. Subramani

821 **Rapid diffusion of green fluorescent protein in the mitochondrial matrix.**
A. Partikian, B. Ölveczky, R. Swaminathan, Y. Li, and A.S. Verkman

831 **Role of ryanodine receptors in the assembly of calcium release units in skeletal muscle.**
F. Protasi, C. Franzini-Armstrong, and P.D. Allen

843 **A transgenic myogenic cell line lacking ryanodine receptor protein for homologous expression studies: Reconstitution of Ry_1R protein and function.**
R.A. Moore, H. Nguyen, J. Galceran, I.N. Pessah, and P.D. Allen

853 **Titin extensibility in situ: Entropic elasticity of permanently folded and permanently unfolded molecular segments.**
K. Trombitás, M. Greaser, S. Labeit, J.-P. Jin, M. Kellermayer, M. Helmes, and H. Granzier

861 **Cytoskeletal polarization of T cells is regulated by an immunoreceptor tyrosine-based activation motif–dependent mechanism.**
B. Lowin-Kropf, V.S. Shapiro, and A. Weiss

873 **Smy1p, a kinesin-related protein that does not require microtubules.**
S.H. Lillie and S.S. Brown

885 **Ezrin/radixin/moesin (ERM) proteins bind to a positively charged amino acid cluster in the juxta-membrane cytoplasmic domain of CD44, CD43, and ICAM-2.**
S. Yonemura, M. Hirao, Y. Doi, N. Takahashi, T. Kondo, Sa. Tsukita, and Sh. Tsukita

897 **A class VI unconventional myosin is associated with a homologue of a microtubule-binding protein, cytoplasmic linker protein–170, in neurons and at the posterior pole of *Drosophila* embryos.**
V.A. Lantz and K.G. Miller

911 **The p75 neurotrophin receptor mediates neuronal apoptosis and is essential for naturally occurring sympathetic neuron death.**
S.X. Bamji, M. Majdan, C.D. Pozniak, D.J. Belliveau, R. Aloyz, J. Kohn, C.G. Causing, and F.D. Miller

925 **Disrupted proteolipid protein trafficking results in oligodendrocyte apoptosis in an animal model of Pelizaeus-Merzbacher disease.**
A. Gow, C.M. Southwood, and R.A. Lazzarini

935 **Hepatocyte nuclear factor 4 provokes expression of epithelial marker genes, acting as a morphogen in dedifferentiated hepatoma cells.**
G.F. Späth and M.C. Weiss

947 **Vascular endothelial growth factor induces endothelial fenestrations in vitro.**
S. Esser, K. Wolburg, H. Wolburg, G. Breier, T. Kurzchalia, and W. Risau

961 **CAS/Crk coupling serves as a "molecular switch" for induction of cell migration.**
R.L. Klemke, J. Leng, R. Molander, P.C. Brooks, K. Vuori, and D.A. Cheresh

973 ADDITIONS AND CORRECTIONS

Volume 140, Number 5, March 9, 1998

975 **Interphase cell cycle dynamics of a late-replicating, heterochromatic homogeneously staining region: Precise choreography of condensation/decondensation and nuclear positioning.**
G. Li, G. Sudlow, and A.S. Belmont

991 **A dominant mutant of inner centromere protein (INCENP), a chromosomal protein, disrupts prometaphase congression and cytokinesis.**
A.M. Mackay, A.M. Ainsztein, D.M. Eckley, and W.C. Earnshaw

1003 **The cohesion protein MEI-S332 localizes to condensed meiotic and mitotic centromeres until sister chromatids separate.**
D.P. Moore, A.W. Page, T.T.-L. Tang, A.W. Kerrebrock, and T.L. Orr-Weaver

1013 **A role for giantin in docking COPI vesicles to Golgi membranes.**
B. Sönnichsen, M. Lowe, T. Levine, E. Jämsä, B. Dirac-Svejstrup, and G. Warren

1023 **A dominant-negative clathrin mutant differentially affects trafficking of molecules with distinct sorting motifs in the class II major histocompatibility complex (MHC) pathway.**
S.-H. Liu, M.S. Marks, and F.M. Brodsky

1039 **Rab17 regulates membrane trafficking through apical recycling endosomes in polarized epithelial cells.**
P. Zacchi, H. Stenmark, R.G. Parton, D. Orioli, F. Lim, A. Giner, I. Mellman, M. Zerial, and C. Murphy

1055 **AP-2/Eps15 interaction is required for receptor-mediated endocytosis.**
A. Benmerah, C. Lamaze, B. Bègue, S.L. Schmid, A. Dautry-Varsat, and N. Cerf-Bensussan

1063 **Vac8p, a vacuolar protein with armadillo repeats, functions in both vacuole inheritance and protein targeting from the cytoplasm to vacuole.**
Y.-X. Wang, N.L. Catlett, and L.S. Weisman

1075 **Mutant rab7 causes the accumulation of cathepsin D and cation-independent mannose 6–phosphate receptor in an early endocytic compartment.**
B. Press, Y. Feng, B. Hoflack, and A. Wandinger-Ness

1091 **Functional imaging of mitochondria in saponin-permeabilized mice muscle fibers.**
A.V. Kuznetsov, O. Mayboroda, D. Kunz, K. Winkler, W. Schubert, and W.S. Kunz

1101 **Differential targeting of vesicular stomatitis virus G protein and influenza virus hemagglutinin appears during myogenesis of L6 muscle cells.**
P. Rahkila, V. Luukela, K. Väänänen, and K. Metsikkö

1113 **MKBP, a novel member of the small heat shock protein family, binds and activates the myotonic dystrophy protein kinase.**
A. Suzuki, Y. Sugiyama, Y. Hayashi, N. Nyu-i, M. Yoshida, I. Nonaka, S.-i. Ishiura, K. Arahata, and S. Ohno

1125 **Corequirement of specific phosphoinositides and small GTP-binding protein Cdc42 in inducing actin assembly in *Xenopus* egg extracts.**
L. Ma, L.C. Cantley, P.A. Janmey, and M.W. Kirschner

1137 **Identification of the *t* complex–encoded cytoplasmic dynein light chain Tctex1 in inner arm I1 supports the involvement of flagellar dyneins in meiotic drive.**
A. Harrison, P. Olds-Clarke, and S.M. King

1149 **A novel 95-kD protein is located in a linker between cytoplasmic microtubules and basal bodies in a green flagellate and forms striated filaments in vitro.**
S. Geimer, J. Clees, M. Melkonian, and K.-F. Lechtreck

1159 **The *Tight skin* mouse: Demonstration of mutant fibrillin-1 production and assembly into abnormal microfibrils.**
C.M. Kielty, M. Raghunath, L.D. Siracusa, M.J. Sherratt, R. Peters, C.A. Shuttleworth, and S.A. Jimenez

1167 **Antagonistic roles of neurofilament subunits NF-H and NF-M against NF-L in shaping dendritic arborization in spinal motor neurons.**
J. Kong, V.W.-Y. Tung, J. Aghajanian, and Z. Xu

1177 **Regulation of neural cell adhesion molecule polysialylation: Evidence for nontranscriptional control and sensitivity to an intracellular pool of calcium.**
J.L. Brusés and U. Rutishauser

1187 **The pattern of disulfide linkages in the extracellular loop regions of connexin 32 suggests a model for the docking interface of gap junctions.**
C.I. Foote, L. Zhou, X. Zhu, and B.J. Nicholson

1199 **Acute loss of cell–cell communication caused by G protein–coupled receptors: A critical role for c-Src.**
F.R. Postma, T. Hengeveld, J. Alblas, B.N.G. Giepmans, G.C.M. Zondag, K. Jalink, and W.H. Moolenaar

1211 **Intracellular localization of phosphatidylinositide 3-kinase and insulin receptor substrate-1 in adipocytes: potential involvement of a membrane skeleton.**
S.F. Clark, S. Martin, A.J. Carozzi, M.M. Hill, and D.E. James

1227 **Cytoplasmic regulation of the movement of E-cadherin on the free cell surface as studied by optical tweezers and single particle tracking: Corralling and tethering by the membrane skeleton.**
Y. Sako, A. Nagafuchi, Sh. Tsukita, M. Takeichi, and A. Kusumi

1241 **A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280.**
I. Ott, E.G. Fischer, Y. Miyagi, B.M. Mueller, and W. Ruf

1255 **Integrin αvβ3 requirement for sustained mitogen-activated protein kinase activity during angiogenesis.**
B.P. Eliceiri, R. Klemke, S. Strömblad, and D.A. Cheresh

1265 **Interferon regulatory factor-2 is a transcriptional activator in muscle where it regulates expression of vascular cell adhesion molecule-1.**
T.L. Jesse, R. LaChance, M.F. Iademarco, and D.C. Dean

Volume 140, Number 6, March 23, 1998

Commentaries

1277 **Cruising along microtubule highways: How membranes move through the secretory pathway.**
G.S. Bloom and L.S.B. Goldstein

1281 **Leading the procession: New insights into kinesin motors.**
S.M. Block

Regular Articles

1285 **Replicon clusters are stable units of chromosome structure: Evidence that nuclear organization contributes to the efficient activation and propagation of S phase in human cells.**
D.A. Jackson and A. Pombo

1297 **Changes in chromosomal localization of heterochromatin-binding proteins during the cell cycle in *Drosophila*.**
J.S. Platero, A.K. Csink, A. Quintanilla, and S. Henikoff

1307 **Selective entrapment of extrachromosomally amplified DNA by nuclear budding and micronucleation during S phase.**
N. Shimizu, N. Itoh, H. Utiyama, and G.M. Wahl

1321 ***ncl-1* is required for the regulation of cell size and ribosomal RNA synthesis in *Caenorhabditis elegans*.**
D.J. Frank and M.B. Roth

1331 **Essential role of the disulfide-bonded loop of chromogranin B for sorting to secretory granules is revealed by expression of a deletion mutant in the absence of endogenous granin synthesis.**
A. Krömer, M.M. Glombik, W.B. Huttner, and H.-H. Gerdes

1347 **Vid24p, a novel protein localized to the fructose-1,6-bisphosphatase–containing vesicles, regulates targeting of fructose-1,6-bisphosphatase from the vesicles to the vacuole for degradation.**
M.-C. Chiang and H.-L. Chiang

1357 **Cholesterol is required for surface transport of influenza virus hemagglutinin.**
P. Keller and K. Simons

1369 **The pathway of membrane fusion catalyzed by influenza hemagglutinin: Restriction of lipids, hemifusion, and lipidic fusion pore formation.**
L.V. Chernomordik, V.A. Frolov, E. Leikina, P. Bronk, and J. Zimmerberg

1383 **Actinin-4, a novel actin-bundling protein associated with cell motility and cancer invasion.**
K. Honda, T. Yamada, R. Endo, Y. Ino, M. Gotoh, H. Tsuda, Y. Yamada, H. Chiba, and S. Hirohashi

1395 **Processivity of the motor protein kinesin requires two heads.**
W.O. Hancock and J. Howard

1407 **Role of the kinesin neck region in processive microtubule-based motility.**
L. Romberg, D.W. Pierce, and R.D. Vale

1417 **The coordination of centrosome reproduction with nuclear events of the cell cycle in the sea urchin zygote.**
E.H. Hinchcliffe, G.O. Cassels, C.L. Rieder, and G. Sluder

1427 **A requirement for cyclin D3–cyclin-dependent kinase (cdk)-4 assembly in the cyclic adenosine monophosphate–dependent proliferation of thyrocytes.**
F. Depoortere, A. Van Keymeulen, J. Lukas, S. Costagliola, J. Bartkova, J.E. Dumont, J. Bartek, P.P. Roger, and S. Dremier

1441 **Lessons from keratin 18 knockout mice: Formation of novel keratin filaments, secondary loss of keratin 7 and accumulation of liver-specific keratin 8-positive aggregates.**

T.M. Magin, R. Schröder, S. Leitgeb, F. Wanninger, K. Zatloukal, C. Grund, and D.W. Melton

1453 **Transplacental uptake of glucose is decreased in embryonic lethal connexin26-deficient mice.**

H.-D. Gabriel, D. Jung, C. Bützler, A. Temme, O. Traub, E. Winterhager, and K. Willecke

1463 **A conserved functional domain of *Drosophila* coracle is required for localization at the septate junction and has membrane-organizing activity.**

R.E. Ward IV, R.S. Lamb, and R.G. Fehon

1475 **Differential localization of VE- and N-cadherins in human endothelial cells: VE-cadherin competes with N-cadherin for junctional localization.**

P. Navarro, L. Ruco, and E. Dejana

1485 **The caspase-3 precursor has a cytosolic and mitochondrial distribution: Implications for apoptotic signaling.**

M. Mancini, D.W. Nicholson, S. Roy, N.A. Thornberry, E.P. Peterson, L.A. Casciola-Rosen, and A. Rosen

1497 **A critical temporal requirement for the retinoblastoma protein family during neuronal determination.**

R.S. Slack, H. El-Bizri, J. Wong, D.J. Belliveau, and F.D. Miller

1511 **An activated protein kinase C α gives a differentiation signal for hematopoietic progenitor cells and mimicks macrophage colony-stimulating factor–stimulated signaling events.**

A. Pierce, C.M. Heyworth, S.E. Nicholls, E. Spooncer, T.M. Dexter, J.M. Lord, P.J. Owen-Lynch, G. Wark, and A.D. Whetton

1519 **KSA antigen Ep-CAM mediates cell–cell adhesion of pancreatic epithelial cells: Morphoregulatory roles in pancreatic islet development.**

V. Cirulli, L. Crisa, G.M. Beattie, M.I. Mally, A.D. Lopez, A. Fannon, A. Ptasznik, L. Inverardi, C. Ricordi, T. Deerinck, M. Ellisman, R.A. Reisfeld, and A. Hayek

1535 **In vivo evidence that the stromelysin-3 metalloproteinase contributes in a paracrine manner to epithelial cell malignancy.**

R. Masson, O. Lefebvre, A. Noël, M.E. Fahime, M.-P. Chenard, C. Wendling, F. Kebers, M. LeMeur, A. Dierich, J.-M. Foidart, P. Basset, and M.-C. Rio

1543 **AUTHOR INDEX FOR VOLUME 140**

1553 **SUBJECT INDEX FOR VOLUME 140**